

Inhaltsverzeichnis / Contents

- Abd El Wahed M.G., El Manakhly K.A., Metwally S.M., Hammad H.A., Aly S.A.: Electrical conductivity of some phenylthiopyridine complexes 663
- Abd El-Ghani E., Assy M.G., Moustafa H.Y.: Synthesis and biological activity of some new pyridazine derivatives 1265
- Abd El-Halim M.S., El-Ahl A.S., Etman H.A., Ali M.M., Fouda A., Fadda A.A.: A new route for the synthesis of phenazine *di*-N-oxides 1217
- Abd El-Samii Z.K.: Sulfenocyclization of unsaturated ureas and thioureas 609
- Abdallah M., Megahed H.E.: Cyclic voltammograms of iron and C-steels in oxalic acid solutions and investigation of the effect of phenyl phthalimides as corrosion inhibitors 519
- Abdel Fattah H.M., s. Issa Y.M.
- Abdel-Bary H.M., Abdel-Rahman A.A.-H., Pedersen E.B., Nielsen C.: Synthesis of 2-O-ethyl analogues of 3'-azido- and 3'-fluoro-2',3'-dideoxyuridines and evaluation of their biological activity against HIV 811
- Abdel-Rahman A.A.-H., s. Abdel-Bary H.M.
- Abdel-Sayed N.I., s. Sherif S.M.
- Abu-Eid M., s. Shraydeh B.F.
- Abu-Ghulwah N., s. Shraydeh B.F.
- Acamovic-Dokovic G., s. Koprivanac N.
- Ahmed E.K., s. Sauter F.
- Ahmed E.K.: Synthesis of new fused heterocycles by annelation of thio-pyrano[4',3':4,5]thieno[2,3-c]pyrimidines 953
- Al-Kubaisi A.H., s. El-Hendawy A.M.
- Al-Neami K.K., Mohamed A.K., Kenawy I.M., Fouda A.S.: Inhibition of the corrosion of iron by oxygen and nitrogen containing compounds 369
- Alföldi J., s. Nemcekova E.
- Ali B.A., s. Hassan A.A.
- Ali M.M., s. Abd El-Halim M.S.
- Altmann R., Falk H.: On the synthesis and chiroptical properties of the tri- and tetragalloylquinic acids 1225
- Aly M.M., Imam S.M.: Characterization of copper(II), nickel(II), cobalt(II), and palladium(II) complexes of vicinal oxime-imine ligands. Induced chelate isomerism in the same molecule of the nickel(II) complex 173
- Aly S.A., s. Abd El Wahed M.G.
- Amer A.M., s. Falk H., Vaisburg A.F.
- Amer A.M.: Synthesis of 1,2,4-triazolium salts: reaction of 1-azo-2-azonia-allene salts with nitriles 431
- Amin A.S., s. Moustafa M.E.
- Anglada M.C., s. Farrera J.-A.
- Anis M., s. Mehrotra K.N.
- Arvai G., s. Halasz J., Kadas I.
- Assy M.G., s. Abd El-Ghani E.
- Ayad M.M., Mansour I.A.: Spectroscopic and conductometric studies on some *Schiff* bases 385

- Bachowska B.: Cycloaddition reactions of 1,5-, 1,6-, and 4,6-benzo[h]-naphthyridinium N-dichloromethylides with dimethyl acetylenedicarboxylate 227
- Ban I., Golic L., Milicev S., Volavsek B.: Untersuchungen der Hydroxylammonium-Fluorozirconate(IV) 1279
- Baran E.J., s. Parajon Costa B.S.
- Bartus J., s. Vogl O.
- Batabyal A., s. Chakrabarty M.
- Belicova A., s. Milata V.
- Bellmann P., s. Gewald K.
- Benckova M., Krutosikova A.: Synthesis of pyrrolo[2',3':4,5]furo[3,2-c]pyridines 753
- Bihari M., s. Kadas I.
- Binder W.H., Schmid W.: Synthesis of a symmetric multivalent molecule containing four carbohydrate substituents 923
- Bobosik V., Krutosikova A., Jordis U.: Synthesis and reactions of 2,3-dimethylfuro[3,2-c]pyridines 747
- Boczon W., s. Thiel J.
- Bogdanowicz-Szwed K., Palasz A.: Synthesis of functionalized 3,4-dihydro-2H-pyrans by hetero-Diels-Alder reaction of an enamino ketone with enol ethers 1341
- Böhlig H., Geidel E., Pohle W.: Aspects of characterizing the normal modes of a $(\text{PO}_4\text{C}_2)^-$ model by means of the potential energy distribution 411
- Bracher F., Papke T.: Total syntheses and antimicrobial activities of pyridine alkaloids from rubiaceae 805
- Brzyska W., Wolodkiewicz W., Rzaczyńska Z., Glowiak T.: Crystal structure of diaquatetrakis (μ -2,6-dichlorobenzoato-*o,o'*)dicopper(II) 285
- Buchbauer G., Spreitzer H., Öckher B., Pretterklieber C., Piringer I., Wolschann P.: Synthese und Geruch von (Z)-Dehydro-homo- β -santalol 467
- Burger K., s. Cyrener J.
- Chakrabarty M., Batabyal A., Morales-Rios M.S., Joseph-Nathan P.: NMR studies of 4(3H)-quinazolinones and 4(3H)-quinazoline-thiones 789
- Chakrabarty T., s. Chakravarti A.K.
- Chakravarti A.K., Dattagupta A., Chakrabarty T., Mukherjee D.C.: Studies of extraction exchange equilibria. Pb(II)-Cd(II) exchange in the CCl_4 -Xanthate/water system 1061
- Charvat T., Potacek M., Marek J.: Diethyl acetonedicarboxylate – a precursor for the synthesis of new substituted 4-aminoquinolines and fused 4-aminopyridines 333
- Chen Q.-Q., Falk H., Micura R.: On the chemistry of pyrrole pigments, XCII: syntheses of 1,2-bis-pyrrolyl-ethanes 473
- Chen Q.-Q., Falk H.: On the chemistry of pyrrole pigments, XCIII: 1,2-bis-(dipyrinon-9-ylidene)-ethane – a novel *b-homo-verdin* chromophore 1097
- Chen Q.-Q., Falk H.: On the chemistry of pyrrole pigments, XCIV: 1-(dipyrinon-9-yl)-3-(dipyrinon-9-ylidene)-1-propene – a novel *b-vinyl*ogous verdin chromophore 1233
- Chen Q.-Q., Falk H.: On the chemistry of pyrrole pigments, XCV: 1,4-bis-(dipyrinone-9-ylidene)-butene-2 – a novel *b-homo-verdin* chromophore 1323
- Chen Q.-Q., Ma J.-S., Wang C.-Q., Liu Y.-Y., Yan F., Cheng L.-J., Jin S., Falk H.: 1,2-bis-Dipyrinon-9-yl-ethene – a novel *b-homo-verdin* chromophore: the reaction of 9-methyl-10H-dipyrin-1-ones with bromine 983
- Chen Q.-Q., s. Ma J.-S.
- Cheng L.-J., s. Chen Q.-Q., Ma J.-S.

- Christov C., s. Stoilova D.
 Chudik M., s. Milata V.
 Clarke D.D., s. Gershon H.
 Cyrener J., Burger K.: Reaktionen von 4,4-bis-(Trifluormethyl)-1,3-diazabuta-1,3-dienen. Synthese trifluormethylsubstituierter Heterocyclen via Baylis-Hillman – Reaktion 319
 Cyrener J., Burger K.: Überraschende Reaktionen von 4,4-bis-(trifluormethyl)-1-oxa-3-azabuta-1,3-dienen: Tandem-Reaktion mit Acrylnitril 1383
- Dalmata G.: On the catalytic effect of thiolactams on the electrochemical reduction of Zn(II) ions 1195
 Dattagupta A., s. Chakravarti A.K.
 de Groot A., s. Marek R.
 Dejewski B., s. Kreja L.
 Derylo-Marczewska A.: Global non-ideality effects in adsorption of organic substances from dilute aqueous solutions on activated carbon 137
 Deshmukh M., Mittelbach M., Junek H.: Syntheses with nitriles, XCV: deamination of cytosine derivatives 91
 di Vora U., s. Weis R.
 Dommissie R., s. Marek R.
 Doumen J., s. Haikal A.
 Dukov I.L., Misheva M.N.: Peculiarities of the synergistic solvent extraction of lanthanides with mixtures of chelating extractants and trido-decylamine 1187
- Eckert K., s. Gewald K.
 El Manakhly K.A., s. Abd El Wahed M.G.
 El-Ahl A.S., s. Abd El-Halim M.S.
 El-Askalany A.H., s. Shehatta I.
 El-Barbary A.A., El-Brollosy N.R., Pedersen E.B., Nielsen C.: Synthesis of 5'-amino- and 5'-azido-2',5'-dideoxy nucleosides from thieno-[2,3-d]pyrimidine-2,4(1H,3H)-dione 593
- El-Brollosy N.R., s. El-Barbary A.A.
 El-Hallag I.S., Hassanein A.M., Ghoneim M.M.: Electrochemical study of the hetero-bimetallic complex $[\text{MeNC}(\text{CO})_2\text{Mn}(\text{dppm})_2\text{Pt}(\text{H})-(\text{CNMe})]^+\text{PF}_6^-$ at a glassy carbon electrode 1075
 El-Hendawy A.M., Al-Kubaisi A.H., Shoaib A.F.: Complexes of some platinum group metals with hydrazine ligands and their catalytic oxidative properties 1291
 El-Kousy S.M., s. Sherif S.M.
 El-Medani S.M., s. Shoukry M.M.
 El-Mossalamy E.H., s. Moustafa M.E.
 El-Shafei A.K., s. Soliman A.M.
 El-Sheikh M.I., s. Salem I.A.
 El-Tamany E.H., s. Hassan A.A.
 Elghandour A.H.H., s. Shoukry E.M.
 Elmorsi M.A., s. Madkour L.H.
 Engberts J.B.F.N., s. Perjessy A.
 Erker T., s. Puschmann I.
 Ertl P., s. Fröhlich J., Ondrus V.
 Etman H.A., s. Abd El-Halim M.S.
- Fadda A.A., s. Abd El-Halim M.S.
 Fakhari E., Schönfeld T.: Zirconium-phosphate-fluoride gels 695
 Falk H., Leimhofer J.: Ozone as an oxygen source for alkene ene-reactions
 Falk H., Mayr E.: Syntheses, constitutions, and properties of stentorin and isostentorin 1311
 Falk H., Mayr E.: Synthesis and properties of fringelite D (1,3,4,6,8,10,11,13-octahydroxy-phenanthro-[1,10,9,8,6,5,4,3]-perylene-7,14-dione) 699
 Falk H., s. Altmann R., Chen Q.-Q., Ma J.-S., Tran-Thi N.H., Vaisburg A.F., Vickovic I.
 Falk H., Vaisburg A.F., Amer A.M.: On the synthesis of ω -appended hypericin derivatives 993
 Falk H., Vaisburg A.F.: Concerning the absorption and emission pro

- perties of phenanthro[1,10,9,8-*o,p,q,r,a*]-perylene-7,14-dione 361
- Farrera J.-A., Anglada M.C., Ribo J.M.: Reactivity of pyrrole pigments, XVII. Reduction of bile pigments by sodium dithionite 355
- Feng Y., s. Fröhlich J.
- Fernandez-G. J.M., Lembrino-Canales J.J.: The crystal structures of *bis*-[(2-benzotrifluoride)-(2-oxo-3H-naphth-3-ylidene)-methyl]-aminato]-copper(II) and *bis*-[(3-benzotrifluoride)-(2-oxo-3H-naphth-3-ylidene)-methyl]-aminato]-copper(II) 129
- Fischer G., Pindur U.: 3-Vinyl-1*H*-indoles: a conformational study, electronic aspects, and reactivity predictions for *Diels-Alder* reactions 303
- Fiser-Jakic L., s. Racane L.
- Fisera L., s. Fröhlich J., Ondrus V.
- Fleischhacker W., s. Noe C.R.
- Földenyi R.: Neue 1*H*-Tetrazol-5-thiol-Derivate als Pestizide, 2. Mitt. Cyanimidodithiokohlensäureester 1035
- Fouda A., s. Abd El-Halim M.S.
- Fouda A.S., s. Al-Neami K.K.
- Fröhlich J., Fisera L., Sauter F., Feng Y., Ertl P.: Regioselectivity of cycloadditions of nitrile oxides and nitrones to 4-methylene-tetrahydrothiopyrane 75
- Fröhlich J., s. Sauter F.
- Gakhar H.K., Kaur R., Gupta S.B.: [1,3]Dioxolo[5,6][1]benzothieno[2,3-*c*]quinolin-6(5*H*)-ones 1253
- Gärtner P., s. Noe C.R.
- Gasowska A., Lomozik L.: Mode of coordination and stability of Cu(II) and Zn(II) complexes with adenosine, deoxyadenosine, cytidine, and deoxycytidine 13
- Gavino R., s. Gutierrez J.A.
- Gavino R.R., s. Grosu I.
- Geidel E., s. Böhlig H.
- Gershon H., Clarke D.D., Gershon M.: Antifungal activity of halophenols and halonitrophenols 1161
- Gershon H., Gershon M.: Intramolecular synergism, an explanation for the enhanced fungitoxicity of halo-8-quinolinols 1303
- Gershon M., s. Gershon H.
- Gewald K., Rehwald M., Eckert K., Schäfer H., Gruner M.: Syntheses with pyridinium and sulfonium salts of acylated β -enaminonitriles 711
- Gewald K., Rehwald M., Müller H., Bellmann P., Schäfer H.: Synthese neuartig substituierter Pyridazin-6(1*H*)-one 341
- Ghoneim M.M., s. El-Hallag I.S., Madkour L.H.
- Giumanini A.G., s. Verardo G.
- Glowiak T., s. Brzyska W.
- Golic L., s. Ban I.
- Gorassini F., s. Verardo G.
- Gorrichon L., s. Viteva L.
- Grabaric B.S., s. Koprivanac N.
- Grabaric C., s. Koprivanac N.
- Greger H., s. Hofer O.
- Grogger G., s. Hengge E.
- Grosu I., Mager S., Ple G., Martinez R., Horn M., Gavino R.R.: The stereochemistry of some new chiral brominated compounds with a 2,4,8,10-tetraoxaspiro[5,5]undecanic skeleton 1021
- Gruner M., s. Gewald K.
- Gupta N., s. Pande C.S.
- Gupta S.B., s. Gakhar H.K.
- Gutierrez J.A., Lopez-Jimenez J.A., Gavino R., Nöth H.: Synthesis and characterization of Schiff bases derived from 1:1 and 1:2 condensations of benzoylacetylacetone with *N*-benzylethylenediamine. Complexes with some divalent metal ions 505
- Gutman I., Petrovic V.: Theoretical study of cyclic conjugation in phenes:

- some hitherto unnoticed features 1179
- Gutmann V., s. Kutenberg C.
- Gütschow M., Neumann U.: 2-Benzoylamino-6,7-dimethoxy-4*H*-3,1-benzoxazin-4-one: synthesis and investigation of serine protease inactivation 1145
- Györgydeak Z., Holzer W., Kunz R.W., Linden A.: 1,4-Diacyl-3-acylamino-5-aryl-4,5-dihydro-1*H*-1,2,4-triazoles: ring closure products of aromatic carbaldehyde (diaminomethylene) hydrazones with acylating agents 733
- Hadacek F., s. Hofer O.
- Haeßner R., s. Halasz J.
- Haider N., Staschek W.: Inverse-electron-demand *Diels-Alder* reactions of condensed pyridazines VI: ring transformations of pyrido-[2,3-*d*]-pyridazine into *g*-fused quinolines 211
- Haikal A., Doumen J., Wyns L.: One pot synthesis of the dinucleoside phosphonate GpCH_2U 1031
- Hajos G., Timari G., Messmer A., Zagyva A., Miskolczi I., Schantl J.G.: A new synthesis of the *s*-triazolo-[1,5-*a*]pyridine ring system 1213
- Halasz J., Toth G., Kadas I., Arvai G., Miklo K., Haeßner R.: Synthesis and stereochemistry of 8-methyl-5-nitro-1-octalones 1011
- Hammad H.A., s. Abd El Wahed M.G.
- Hammermeister U., s. Siemeling U.
- Haslinger E., Hüfner A.: New chiral synthons from abietic acid: oxidation of the C-ring and degradation of the carbon skeleton 1109
- Haslinger E., s. Rothenburger J.
- Hassan A.A., Mohamed N.K., El-Tamany E.H., Ali B.A., Mourad A.E.: Chemical interactions between 2-mercaptobenzazoles and π -acceptors 653
- Hassan E.R., s. Shehatta I.
- Hassanein A.M., s. El-Hallag I.S., Shehatta I.S.
- Hefer G., s. Kron I.
- Heleyova K., Ilavsky D.: Synthesis and spectral properties of substituted 4-chlorooxazoloquinolines 1359
- Hengge E., Grogger C., Uhlig F., Roe-
wer G., Herzog U., Pätzold U.: Hydrierung von Silicium-Halogen-Verbindungen mittels Trialkylstannylchlorid/Natriumhydrid 549
- Herzog U., s. Hengge E.
- Hofer O., Zechner G., Wurz G., Hadacek F., Greger H.: Ritigalin, a new thiocarbonic acid imide from Glycosmis species 365
- Holba V., Sumichrast R.: Oxidation of higher alcohols by tetra-1-butylammonium permanganate 681
- Hollauf G., Urban E.: Synthesis of potential antimicrobial oxiranylisobenzofuranones 1203
- Holzer W., s. Györgydeak Z.
- Horn H.-G., Probst M.: Synthese und Eigenschaften von 1,1,3,3-Tetrakis(pentafluorphenyl)-cyclo-di(silthian) und verwandten Verbindungen 1169
- Horn M., s. Grosu I.
- Hübner K., s. Rosmann D.
- Hüfner A., s. Haslinger E.
- Ilavsky D., s. Heleyova K., Milata V.
- Imam S.M., s. Aly M.M.
- Iossifova T., Mikhova B., Kostova I.: A secoiridoid dilactone from *Fraxinus ornus* bark 1257
- Issa Y.M., Abdel Fattah H.M., Omar M.M., Soliman A.A.: Chelation behaviour of lanthanides with some *thio-Schiff* bases 163
- Jamrozik J., Jamrozik M., Sciborowicz P., Zeslawski W.: Propellane, 11. Mitt.: Synthese von Dioxo[4.3.3]propellanen aus vicinalen Tetrakis(hydroxymethyl)cycloalkanen 587

- Jamrozik M., s. Jamrozik J.
Jaycox G.D., s. Vogl O.
Jin S., s. Chen Q.-Q., Ma J.-S.
Jordis U., s. Bobosik V.
Joseph-Nathan P., s. Chakrabarty M.
Junek H., Reidlinger C.: Beiträge zur Chemie der Enaminoketone, 15. Mitt.: Die Dreikomponentensynthese von Hydrazinomethylenchromandionen und eine reduktive N-N-Bindungsspaltung von Phenylhydrazin 579
Junek H., s. Deshmukh M.
- Kadas I., Morvai V., Arvai G., Töke L., Szöllösy A., Toth G., Bihari M.: Syntheses of the terpenoid precursors cyclopent-2-enone and cyclohex-2-enone diesters 107
Kandeel K.A., s. Omar M.T.
Karminski-Zamola G., s. Racane L.
Katikarides E., s. Noe C.R.
Kaur R., s. Gakhar H.K.
Kenawy I.M., s. Al-Neami K.K.
Khalil M.M., s. Shoukry E.M.
Khazi I.M., Mahajanshetti C.S.: Synthesis of 2-aryl-6,6-dimethyl-8-oxo-5,6,7,8-tetrahydro-1,2,4-*4H*-triazolo-[3,2-*b*]benzothiazoles and their 3-aryl-[3,4-*b*] isomers 759
Kisch H., s. Reißer P.
Kleinpeter E., s. Lehmann J.
Kluge R., s. Omelka L.
Knollmüller M., s. Noe C.R.
Köhler G., Martinek H., Parasuk W., Rechthaler K., Wolschann P.: The influence of cyclodextrin complexation on proton transfer in piperidinomethyl-2-naphthol 299
Königsberger E., s. Kron I.
Koprivanac N., Grabaric C., Papic S., Grabaric B.S., Acamovic-Dokovic G.: Complexing properties of *Schiff* bases with copper and nickel ions 23
Kostova I., s. Iossifova T.
Kosutic Hulita N., s. Vickovic I.
- Krausz P., s. Radzki S.
Kreja L., Dejewski B.: On the stepwise change of rate constant and activation energy at the catalytical decomposition of NaClO 281
Krois D., Lehner H.: The induced circular dichroism of helically shaped racemic bilatrienes 349
Kron I., Marshall S.L., May P.M., Hefter G., Königsberger E.: The ionic product of water in highly concentrated aqueous electrolyte solutions 819
Krutosikova A., s. Benckova M., Bobosik V.
Kunz R.W., s. Györgydeak Z.
Kus P.: Tetraphenylporphyrins monosubstituted with glycerol derivative units in the phenyl rings. Synthesis and characterization 461
Kuttenberg C., Scheiber E., Gutmann V.: An infrared spectroscopic study on the influence of water on alcohols 889
- Lacmann R., s. Schäfer B.
Lehmann J., Kleinpeter E.: ¹H NMR lanthanide-induced shift investigations of highly flexible molecules III: application to alcohols, aldehydes, esters, and amines 1051
Lehner H., s. Krois D.
Leimhofer J., s. Falk H.
Lembrino-Canales J.J., s. Fernandez-G.J.M.
Lesko J., s. Milata V.
Levai A., Patonay T.: Synthesis of bridged isoflavone derivatives 219
Levai A.: Synthesis and thermal decomposition of 3-aryl-4-aryl-2-pyrazolines 1245
Linden A., s. Györgydeak Z.
Liu Y.-Y., s. Chen Q.-Q., Ma J.-S.
Lomozik L., s. Gasowska A.
Lopez-Jimenez J.A., s. Gutierrez J.A.
Lotowski Z., s. Morzycki J.W.
Luks E., s. Radecka-Paryzek W.

- Ma J.-S., Chen Q.-Q., Wang C.-Q., Liu Y.-Y., Yan F., Cheng L.-J., Jin S., Falk H.: A novel 16,24-dehydrobiadiene-*ab* system: the reaction of xanthobilirubic acid methyl ester with bromine 201
- Ma J.-S., s. Chen Q.-Q.
- Mabrouk E.M., s. Shehatta I.S.
- Madkour L.H., Elmorsi M.A., Ghoneim M.M.: Inhibition of copper corrosion by arylazotriazoles in nitric acid solution 1087
- Mager S., s. Grosu I.
- Mahajanshetti C.S., s. Khazi I.M.
- Majdan M., s. Sadowski P.
- Makanova J., s. Sima J.
- Malyszko E., Malyszko J.: Redox equilibria in the In(III)-In(I)-In system in aqueous KBr solutions II. A rotating ring-disc electrode study 271
- Malyszko J., s. Malyszko E.
- Mansour I.A., s. Ayad M.M.
- Marek J., s. Charvat T., Marek R.
- Marek R., Potacek M., Marek J., de Groot A., Dommissie R.: 2,2-Dimethylpenta-3,4-dienal derivatives: preparation, NMR spectra, and crystal structure 1151
- Marshall S.L., s. Kron I.
- Martinek H., s. Köhler G.
- Martinez M., s. Sastre A.-M.
- Martinez R., s. Grosu I.
- May P.M., s. Kron I.
- Mayr E., s. Falk H.
- Megahed H.E., s. Abdallah M.
- Mehrotra K.N., Anis M., Ultrasonic and viscosimetric studies of samarium laurate in benzene-dimethylsulfoxide mixtures 637
- Melmer M., Neudeck H.K., Schlögl K., Werner A.: Optisch aktive aromatische Spirane, 18. Mitt. Darstellung von optisch aktiven 4,4'-disubstituierten 2,2'-Spirobi-*s*-hydrindacen 933
- Mereiter K., s. Mikenda W.
- Messmer A., s. Hajos G.
- Metwally S.M., s. Abd El Wahed M.G.
- Micura R., s. Chen Q.-Q.
- Mikenda W., Pertlik F., Steinböck S.: Crystal structures and vibrational spectra of $\text{MSnF}_6 \cdot 6\text{H}_2\text{O}$ (M = Fe, Co, Ni) 61
- Mikenda W., Steinwender E., Mereiter K.: Hydrogen bonding in 2-hydroxybenzoic, 2-hydroxythiobenzoic, and 2-hydroxydithiobenzoic acid. A structural and spectroscopic study 495
- Mikhova B., s. Iossifova T.
- Miklo K., s. Halasz J.
- Milata V., Ilavsky D., Chudik M., Zaliibera L., Lesko J., Seman M., Belicova A.: *Gould-Jacobs* reaction of 6-amino-2,3-diphenylquinoxaline 1349
- Miletich R.: The synthetic microporous tellurites $\text{Na}_2[\text{Me}_2(\text{TeO}_3)_3] \cdot 3\text{H}_2\text{O}$ (Me = Zn, Co): crystal structure, de- and rehydration, and ion exchange properties 417
- Milicev S., s. Ban I.
- Miralles N., s. Sastre A.-M.
- Misheva M.N., s. Dukov I.L.
- Miskolczi I., s. Hajos G.
- Mittelbach M., s. Deshmukh M.
- Mohamed A.K., s. Al-Neami K.K.
- Mohamed N.K., s. Hassan A.A.
- Mohareb R.M., s. Sherif S.M.
- Mohareb R.M., Zohdi H.F., Wardakhan W.W.: Reaction of 3-phenyl-5-aminopyrazole with carbon disulfide: a novel synthesis of 3-(3'-phenylpyrazol-5'-yl)-4-phenylpyrazol-2-thione as well as of pyrazolo[3,4-*d*]thiazole and pyrano[2,3-*d*]thiazole derivatives 1391
- Morales-Rios M.S., s. Chakrabarty M.
- Moritz R.J., s. Ostrowski S.
- Morvai V., s. Kadas I.
- Morzycki J.W., Lotowski Z.: Studies on the construction of the 2-isooctyl side chain in 17-azasteroids 119

- Mourad A.E., s. Hassan A.A.
Moussa M.N.H., s. Shehatta I.
Moustafa H.Y., s. Abd El-Ghani E.
Moustafa M.E., El-Mossalamy E.H., Amin A.S.: Synthesis and efficiency of 5-(2-hydroxyphenylazo)-indazoles as new reagents for the determination of vanadium 901
Moustafa M.M.: Synthesis and characterization of some new lanthanide(III) chelates with 1,4-bis-(2'-hydroxyphenylazomethine)phenylene 255
Mudryk B., s. Ostrowski S.
Mukherjee D.C., s. Chakravarti A.K.
Müller H., s. Gewald K.
Müller N., s. Vaisburg A.F.
Nemcekova E., Rybar A., Nosalova G., Alföldi J.: 7-Substituted 8-vinyl-1,3-dimethyl-3,7-dihydro-1*H*-purine-2,6-diones and their broncholytic activity 799
Neudeck H.K., s. Melmer M.
Neudeck H.K.: Optisch aktive aromatische Spirane, 19. Mitt. Ermittlung von optimalen λ -Werten bei tri- und polysubstituierten 2,2'-Spirobiindanen 1125
Neumann U., s. Gütschow M.
Nielsen C., s. Abdel-Bary H.M., El-Barbary A.A., Zahran M.A.
Noe C.R., Knollmüller M., Gärtner P., Fleischhacker W., Katikarides E.: Aminoalkohole, 2. Mitt.: Ein Verfahren zur Herstellung enantiomerenreiner pharmakologisch aktiver β -Aminoalkohole 481
Noe C.R., Knollmüller M., Gärtner P., Fleischhacker W., Katikarides E.: Aminoalkohole, 3. Mitt.: Ein Verfahren zur Herstellung von enantiomerenreinen pharmakologisch aktiven N-substituierten β -Aminoalkoholen 557
Nosalova G., s. Nemcekova E.
Nöth H., s. Gutierrez J.A.
Öckher B., s. Buchbauer G.
Ojkova T., s. Stoilova D.
Omar M.M., s. Issa Y.M.
Omar M.T., Kandeel K.A., Youssef A.S.A.: The (*E*)/(*Z*)-ratio in the reaction of 5-(2-aryl-2-oxoethyl)-2-thioxo-4-oxo-1,3-thiazolidines with bromine 439
Omelka L., Kluge R., Schulz M.: Radical Products of the oxidation of 2,2-diacyl-1-arylhydrazines with the system $\text{Pb}(\text{OAc})_4\text{-CF}_3\text{COOH-CH}_2\text{Cl}_2$ 155
Ondrus V., Fisera L., Polborn K., Ertl P., Pronayova N.: *Diels-Alder* reaction of fulvenes with N-(3,5-dichlorophenyl)-maleimide 961
Ongania K.-H., s. Schwenninger R.
Ostrowski S., Moritz R.J., Mudryk B.: Vicarious nucleophilic substitution of hydrogen in nitro-1,6-methano[10]annulenes 447
Ouschmann I., Erker T.: Studien zur Chemie von thienoanellierten O,N- und S,N-haltigen Heterocyclen, 10. Mitt.: Synthese von 2-substituierten Thieno-Diltiazemderivaten 569
Palasz A., s. Bogdanowicz-Szwed K.
Pande C.S., Gupta N.: Phase transfer catalyzed oxidation of ketones with borax- H_2O_2 647
Papic S., s. Koprivanac N.
Papke T., s. Bracher F.
Parajon Costa B.S., Baran E.J.: Redox behaviour of divalent metal saccharinates 673
Parasuk w., s. Köhler G.
Patonay T., s. Levai A.
Pätzold U., s. Hengge E.
Pedersen E.B., s. Abdel-Bary H.M., El-Barbary A.A., Zahran M.A.
Perjessy A., Engberts J.B.F.N.: Infra-red study of solvent-solute interactions of 1-substituted 2-pyrrolidino-nes and related compounds 871
Pertlik F., s. Mikenda W.

- Petrovic V., s. Gutman I
Pindur U., s. Fischer G.
Piringer I., s. Buchbauer G.
Ple G., s. Grosu I.
Pohle W., s. Böhlig H.
Polborn K., s. Ondrus V.
Potacek M., s. Charvat T., Marek R.
Pretterklieber C., s. Buchbauer G.
Probst M., s. Horn H.-G.
Pronayova N., s. Ondrus V.
- Qin M., s. Vogl O.
- Racane L., Tralic-Kulenovic V., Karminski-Zamola G., Fiser-Jakic L.: Synthesis and fluorescent properties of some new unsymmetric bis-benzothiazolyl furans and thiophenes 1375
Radecka-Paryzek W., Luks E.: The scandium(III) ion as a template for the synthesis of a hexaaza *Schiff* base macrocyclic ligand 795
Radzki S., Krausz P.: Molecular complex formation between gadolinium(III) tetraphenylporphyrin and vitamin E 51
Rechthaler K., s. Köhler G.
Rehwald M., s. Gewald K.
Reidlinger C., s. Junek H.
Reißer P., Wakatsuki Y., Kisch H.: Rhodium-katalysierte Addition von Diphenylacetylen an Azobenzol: ein neuer Weg zu Indolderivaten 1
Ribo J.M., s. Farrera J.-A.
Roewer G., s. Hengge E.
Rosmann D., Hübler K., Schmidt A.: Antimontribenzoat 1045
Rossmanith K., Unfried P.: Neue Pyridiniumchlorometallverbindungen der Seltenerdelemente 687
Rossmanith K.: Reindarstellung von Neodymoxid in großem Maßstab durch fraktionierte Kristallisation der Ammoniumdoppelnitrate 293
Rossmanith K.: Fraktionierte Kristallisation von Ammonium- und Magnesiumdoppelnitrat der Ceriterden; Bestimmung der Trennfaktoren und Vergleich der Trennwirkung 543
Rossmanith K.: Herstellung von Tetrahydrofuranverbindungen der Ceriterdiodide 897
Rothenburger J., Haslinger E.: New cucurbitacine glycosides from *gratiola officinalis* L. 1331
Rybar A., s. Nemcekova E.
Rzaczynska Z., s. Brzyska W.
- Sadowski P., Majdan M.: Spectroscopic investigation of lanthanide nitrates 863
Saleh M.S.: Acid-base equilibria of some pyridinol derivatives in binary water / organic solvent systems 377
Saleh M.S.: Medium effects on the ionization constants of some pyridinecarboxylic acid derivatives 247
Saleh M.S.: Spectrophotometric determination of microamounts of yttrium with 1-amino-4-hydroxyanthraquinone 621
Salem I.A., El-Sheikh M.Y., Zaki A.N.: Kinetics and mechanism of the decomposition of hydrogen peroxide catalyzed by Mn(II)-bis-salicylaldehyde complexes 393
Sastre A.-M., Miralles N., Martinez M.: On the interaction of metal extractant reagents. Investigation of the aggregation of *di*(2,4,4-trimethylpentyl)phosphinic acid and *di*(*n*-octyl)phosphinic acid in toluene by vapour-pressure osmometry 401
Sauter F., Fröhlich J., Ahmed E.K.: Synthesis of dihydrothiopyrano-[3,4-*c*]pyridines and of fusion products thereof 945
Sauter F., s. Fröhlich J.
Schäfer B., Lacmann R.: Prediction of free excess enthalpy and excess enthalpy of nonelectrolyte mixtures with the modified TASQUAC model 35

- Schäfer H., s. Gewald K.
Schantl J.G., s. Hajos G.
Scheiber E., s. Kuttnerberg C.
Schlögl K., s. Melmer M.
Schmid W., s. Binder W.H.
Schmidt A., s. Rosmann D.
Scholz K., Thomas B.: Komplexe Zusammenhänge zwischen Eigenschaften und Strukturparametern von Elektrodengläsern 839
Schönfeld T., s. Fakhari E.
Schulz M., s. Omelka L.
Schwarz J., s. Wessig P.
Schweiger K., s. Weis R.
Schwenninger R., Ongania K.-H.: Synthese von benzanellierten Carbacephamen, 2. Mitt. 187
Sciborowicz P., s. Jamrozik J.
Seebacher W., s. Weis R.
Seman M., s. Milata V.
Shehatta I., El-Askalany A.H., Hassan E.R., Moussa M.N.H.: Thermodynamics of transfer processes, I. Solubility of hydrophilic solutes in dioxane-water mixtures 263
Shehatta I.S., Hassanein A.M., Mabrouk E.M.: Thermodynamic and voltammetric studies of salicylaldehyde-4-(2-pyridyl)-3-thiosemicarbazone 851
Sherif S.M., Abdel-Sayed N.I., El-Kousy S.M., Mohareb R.M.: The reaction of carbon disulfide with diethyl 3-amino 2-cyano-2-penten-1,5-dicarboxylate: a convenient synthesis of polyfunctionally substituted thiophenes and their fused derivatives 601
Shoair A.F., s. El-Hendawy A.M.
Shoukry E.M., Khalil M.M., Elghandour A.H.H., Shoukry M.M.: Binary and ternary complexes of sulphamethoxazole 241
Shoukry E.M., s. Shoukry M.M.
Shoukry M.M., s. Shoukry E.M.
Shoukry M.M., Shoukry E.M., El-Medani S.M.: Metal complexes of cephradine: syntheses and equilibrium studies 909
Shraydeh B.F., Abu-Eid M., Abu-Ghulwah N.: Preferential solvation of $\text{Fe}(\text{phen})_2(\text{CN})_2$ in binary aqueous acetone and 2-methoxyethanol mixtures 631
Siemeling U., Türk T., Hammermeister U.: Synthesis of 2-(2-methoxyethyl)- and 2-(2-thiomethoxyethyl)-aniline and related compounds 725
Sima J., Mekanova J., Veverka M.: Photoredox properties of kojic acid and its derivatives complexed to iron(III) 149
Soliman A.A., s. Issa Y.M.
Soliman A.M., Sultan A.A., El-Shafei A.K.: Synthesis of some new dispiro[dipyrano(2,4':6,4'')bidithiolo-(4,5-b:4',5'-e)-4,8-benzoquinones] 615
Spirkova K., Stankovsky S.: Some multiring fused quinazolines 767
Spreitzer H., s. Buchbauer G.
Staneva D., s. Stoilova D.
Stankovsky S., s. Spirkova K.
Staschek W., s. Haider N.
Steinböck S., s. Mikenda W.
Steinwender E., s. Mikenda W.
Stoilova D., Christov C., Ojkova T., Staneva D.: Thermodynamical study on the magnesium selenate-nickel selenate-water system at 25°C 535
Strazzolini P., s. Verardo G.
Sultan A.A., s. Soliman A.M.
Sumichrast R., s. Holba V.
Suste A., s. Vickovic I.
Szöllösy A., s. Kadas I.
Thiel J., Wysocka W., Boczon W.: The steric structure of multifluorine methylation products 233
Thomas B., s. Scholz K.
Timari G., s. Hajos G.
Töke L., s. Kadas I.
Tonejic A.M., s. Vickovic I.
Toth G., s. Halasz J., Kadas I.

- Tralic-Kulenovic V., s. Racane L.
- Tran-Thi N.H., Falk H.: An efficient synthesis of the plant growth hormone 1-triacontanol 565
- Türk T., s. Siemeling U.
- Uhlig F., s. Hengge E.
- Uhlig F., Uhlig W.: Wege zu Sifunktionalisierten Organostannylsilanen 919
- Uhlig W., s. Uhlig F.
- Unfried P., s. Rossmanith K.
- Urban E., s. Hollauf G.
- Vaisburg A.F., Amer A.M., Falk H.: Concerning the reaction of 2-(10-diazo-10*H*-anthracen-9-ylidene)-malonodinitrile and related compounds with the cryptohydride system formic acidtriethylamine 783
- Vaisburg A.F., Müller N., Falk H.: 2-(10-Diazo-10*H*-anthracen-9-ylidene)-malonodinitrile: a convenient precursor of 9,10-disubstituted anthracenes 773
- Vaisburg A.F., s. Falk H.
- Verardo G., Giumanini A.G., Gorasini F., Strazzolini P.: Heterocycles from heterocycles: 1,3-dialkyl-4,5-imidazolidinediones from 1,3,5-trialkyl-hexahydro-1,3,5-triazines and oxalyl chloride 103
- Veverka M., s. Sima J.
- Vickovic I., Suste A., Falk H., Kosutic Hulita N., Tonejic A.M.: Synthesis and structures of pyridinologous linear tri- and tetrapyrrole metal complexes 971
- Viteva L., Gorrichon L.: Kinetic asymmetric protonation as a stereochemistry determining step in the Michael addition of acetic acid derivatives to α -substituted cinnamic acid derivatives 1001
- Vogl O., Qin M., Bartus J., Jaycox G.D.: Chiral nucleation 67
- Volavsek B., s. Ban I.
- Wakatsuki Y., s. Reißer P.
- Wang C.-Q., s. Chen Q.-Q., Ma J.-S.
- Wardakhan W.W., s. Mohareb R.M.
- Weis R., di Vora U., Seebacher W., Schweiger K.: Conversion of 6-phenylimino-2*H*-thiopyran-4-amines to 1-phenyl-2,3-dihydro-4(1*H*)-pyridinones 1367
- Werner A., s. Melmer M.
- Wessig P., Schwarz J.: A simple synthesis of 2,4-diaryl-1,3,5-triazines
- Wolodkiewicz W., s. Brzyska W.
- Wolschann P., s. Buchbauer G., Köhler G.
- Wurz G., s. Hofer O.
- Wyns L., s. Haikal A.
- Wysocka W., s. Thiel J.
- Yadava S.S.: Excess molar volumes of binary mixtures of 4-methyl-2-pentanone and some hydrocarbons 529
- Yan F., s. Chen Q.-Q., Ma J.-S.
- Youssef A.S.A., s. Omar M.T.
- Zagyva A., s. Hajos G.
- Zahran M.A., Pedersen E.B., Nielsen C.: Synthesis and reactions of 2-deoxy- β -D-ribofuranosyl derivatives of 3-aryl-4*H*-pyrrolo[2,3-*d*]pyrimidin-4-imines 1271
- Zaki A.B., s. Salem I.A.
- Zalibera L., s. Milata V.
- Zechner G., s. Hofer O.
- Zeslawski W., s. Jamrozik J.
- Zohdi H.F., s. Mohareb R.M.